


BATHROOM
Immersion Floor-Mounted Vessel
Filler
G-2325-LM31N

GRAFF®




Information

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- 9-13/16" spout reach
- 39-3/8"-41-5/8" maximum spout height
- Drain assembly not included
- ADA
- CALGreen

GN-2325-LM31N

IMMERSION Series



BATHROOM
Spout Connection Rough
G-1045

GRAFF®



Finishes



24K Gold



24K Brushed
Gold



Architectural
Black™



Matte Black



Polished
Chrome



Polished
Nickel



Steelnox®
(Satin Nickel)



Architectural
White

G-1045

Spout Connection Rough




Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim

Warranty

- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>




The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 07/2017.

www.graff-faucets.com | phone: 800-954-4723

BATHROOM
Immersion Floor-Mounted Vessel
Filler
G-2325-LM31N

GRAFF®



Information

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- 9-13/16" spout reach
- 39-3/8"-41-5/8" maximum spout height
- Drain assembly not included
- ADA
- CALGreen

Finishes



24K Gold



24K Brushed
Gold



Architectural
Black™



Matte Black



Polished
Chrome



Polished
Nickel



Steelnox®
(Satin Nickel)



Architectural
White

GN-2325-LM31N

IMMERSION Series

